

Recorded: 5/16/2024 at 8:03:40.0 AM
County Recording Fee: \$0.00
Iowa E-Filing Fee: \$0.00
Combined Fee: \$0.00
Revenue Tax: \$0.00
Delaware County, Iowa
Daneen Schindler RECORDER
BK: 2024 PG: 1043

REAL ESTATE TRANSFER - GROUNDWATER HAZARD STATEMENT
TO BE COMPLETED IN FULL BY TRANSFEROR

If the transaction is exempt from filing a declaration of value pursuant to Iowa Code 428A.1(2), STOP HERE. Pursuant to Iowa Code section 558.69(1), when no declaration of value is submitted during a transaction, you are not required to submit a groundwater hazard statement or include the statutory language in Iowa Code section 558.69(8A). Please consult your realtor or legal counsel for further advice, including on whether a declaration of value is required. The Department provides this information for statutory reference only.

Instructions for this document can be found at:

<https://www.iowadnr.gov/Portals/idnr/uploads/forms/5420960%20Instructions.pdf>

Attachment 1, if required, can be found at: <https://www.iowadnr.gov/Portals/idnr/uploads/forms/5420960a.pdf>

TRANSFEROR:

Name ARK Properties, L.L.C.
Address 3570 Rogers Rd NW, Cedar Rapids, Iowa 52405
Number and Street or RR City, Town or PO State Zip

TRANSFEEE:

Name ~~Darrel Rich~~ 1 King 2:3, LLC
Address 920 E Main St, Manchester, Iowa 52057
Number and Street or RR City, Town or PO State Zip

Address of Property Transferred:

20105 247th Street, Manchester, Iowa 52057
Number and Street or RR City, Town or PO State Zip

Legal Description of Property: (Attach if necessary)

SEE EXHIBIT

1. Wells (check one)

- No Condition - There are no known wells situated on this property.
 Condition Present - There is a well or wells situated on this property. The type(s), location(s) and legal status are stated below or set forth on an attached separate sheet, as necessary.

2. Solid Waste Disposal (check one)

- No Condition - There is no known solid waste disposal site on this property.
 Condition Present - There is a solid waste disposal site on this property and information related thereto is provided in Attachment #1, attached to this document.

3. Hazardous Wastes (check one)

- No Condition - There is no known hazardous waste on this property.
- Condition Present - There is hazardous waste on this property and information related thereto is provided in Attachment #1, attached to this document.

4. Underground Storage Tanks (check one)

- No Condition - There are no known underground storage tanks on this property. (Note exclusions such as small farm and residential motor fuel tanks, most heating oil tanks, cisterns and septic tanks, in instructions.)
- Condition Present - There is an underground storage tank on this property. The type(s), size(s) and any known substance(s) contained are listed below or on an attached separate sheet, as necessary.

5. Private Burial Site (check one)

- No Condition - There are no known private burial sites on this property.
- Condition Present - There is a private burial site on this property. The location(s) of the site(s) and known identifying information of the decedent(s) is stated below or on an attached separate sheet, as necessary.

6. Private Sewage Disposal System (check one)

- No Condition - All buildings on this property are served by a public or semi-public sewage disposal system.
- No Condition - This transaction does not involve the transfer of any building which has or is required by law to have a sewage disposal system.
- Condition Present - There is a building served by private sewage disposal system on this property or a building without any lawful sewage disposal system. A certified inspector's report is attached which documents the condition of the private sewage disposal system and whether any modifications are required to conform to standards adopted by the Department of Natural Resources. A certified inspection report must be accompanied by this form when recording.
- Condition Present - There is a building served by private sewage disposal system on this property. Weather or other temporary physical conditions prevent the certified inspection of the private sewage disposal system from being conducted. The buyer has executed a binding acknowledgment with the county board of health to conduct a certified inspection of the private sewage disposal system at the earliest practicable time and to be responsible for any required modifications to the private sewage disposal system as identified by the certified inspection. A copy of the binding acknowledgment is attached to this form.
- Condition Present - There is a building served by private sewage disposal system on this property. The system is failing to ensure effective wastewater treatment or is otherwise improperly functioning, and the buyer has executed a binding acknowledgment with the county board of health to install a new private sewage disposal system on this property within an agreed upon time period. A copy of the binding acknowledgment is provided with this form.
- Condition Present - There is a building served by private sewage disposal system on this property. The building to which the sewage disposal system is connected will be demolished without being occupied. The buyer has executed a binding acknowledgment with the county board of health to demolish the building within an agreed upon time period. A copy of the binding acknowledgment is provided with this form. [Exemption #7]
- Condition Present - There is a building served by private sewage disposal system on this property. This property is exempt from the private sewage disposal inspection requirements pursuant to the following Exemption [Note: for exemption #7 use prior check box]: _____
- Condition Present - There is a building served by private sewage disposal system on this property. The private sewage disposal system has been installed within the past two years pursuant to permit number: _____

Review the following two directions carefully:

- A. If you selected a box stating "No Condition" for every numbered section above, STOP HERE. Do not submit this form. Instead, pursuant to Iowa Code section 558.69(8A), you must include the following language on the first page of the recorded deed, instrument, or other writing:


"There is no known private burial site, well, solid waste disposal site, underground storage tank, hazardous waste, or private sewage disposal system on the property as described in Iowa Code section 558.69, and therefore the transaction is exempt from the requirement to submit a groundwater hazard statement."

Please consult your realtor or legal counsel for further advice on this exemption. By law, the owner of the property is responsible for the accuracy of this statement, and the Department provides this information for statutory reference only.

- B. If you checked any box stating "Condition Present" for any of the numbered sections above, continue below. You must complete this form, including providing all required information, and you must submit this form to the county recorder's office with declaration of value.

Information required by statements checked above should be provided here or on separate sheets attached hereto:

I HEREBY DECLARE THAT I HAVE REVIEWED THE INSTRUCTIONS FOR THIS FORM AND THAT THE INFORMATION STATED ABOVE IS TRUE AND CORRECT.

Signature: 
(Transferor or Agent)

Telephone No.: 563-920-4033

Exhibit A

Lots Thirty One (31), Fifty One (51), Sixty Five (65), and the East one-half ($E\frac{1}{2}$) of Lot Sixty Six (66) of Willie's Second Subdivision of Part of the Southeast Quarter ($SE\frac{1}{4}$) of the Northeast Quarter ($NE\frac{1}{4}$) of Section Fifteen (15), and Part of the Northeast Quarter ($NE\frac{1}{4}$) of the Southeast Quarter ($SE\frac{1}{4}$) of Section Fifteen (15), and Part of the Northwest Quarter ($NW\frac{1}{4}$) of the Southwest Quarter ($SW\frac{1}{4}$) of Section Fourteen (14), and Part of the Southwest Quarter ($SW\frac{1}{4}$) of the Northwest Quarter ($NW\frac{1}{4}$) of Section Fourteen (14), all in Township Eighty Eight (88) North, Range Five (5), West of the Fifth Principal Meridian, Delaware County, Iowa, according to plat recorded in Book 4 Plats, Page 106, and Retracement Survey recorded in Book 2007, Page 3073



TIME OF TRANSFER INSPECTION TOT# 9882 ROBB HARTER CERT # 9343

Site Information

Parcel Description: **250140105010**

Address: **20105 247th Street, Manchester, IA 52057**

County: **Delaware**

Owner Information

Property is owned by a business: **Yes**

Business Name: **ARK Properties, LLC**

Owner Name:

Email Address:

Address: **3570 Rogers Road NW, Cedar Rapids, IA 52405**

Phone No:

Site related information

No Of Bedrooms: **1**

Facility Type: **Other**

Last Occupied:

Permit issued by County: **Yes**

All plumbing fixtures enter septic system: **Yes**

Property Information Comments:

Weekend Cabins

Inspection Date: **05/01/2024**

Currently Occupied: **N/A**

System Installation Date: **12/06/2005**

Permit Number: **1400**

County contacted for records: **Yes**

Primary Treatment

Tank A

Tank Name: **Tank A**

Tank Material: **Concrete**

No. of Compartments: **2**

Date Pumped: **5/1/2024**

Distance To Well (Ft.): **150+**

Risers Intact: **Yes**

Type: **Septic Tank**

Tank Corrosion Type: **Slight**

Pump Tank Chamber: **Yes**

Meets Setback to Well: **Yes**

Is Accessible: **Yes**

Effluent Filter Present: **No**

Tank Size (Gal): **2000**

Liquid Level Type: **Normal**

Licensed Pumper Name: **Harter**

Well Type: **Private**

Lid Intact: **Yes**

Watertight: **Yes**

Tank/Vault Pumped: **Yes** Inlet Baffle Present: **Yes** Outlet Baffle Present: **Yes** Functioning as Designed: **Yes**

Tank Comments:

Tank B

Tank Name: Tank B	Type: Septic Tank	Tank Size (Gal): 1250	
Tank Material: Concrete	Tank Corrosion Type: Slight	Liquid Level Type: Normal	
No. of Compartments: 2	Pump Tank Chamber: Yes	Licensed Pumper Name: Harter	
Date Pumped: 5/1/2024	Meets Setback to Well: Yes	Well Type: Private	
Distance To Well (Ft.): 150+	Is Accessible: Yes	Lid Intact: Yes	
Risers Intact: Yes	Effluent Filter Present: No	Watertight: Yes	
Tank/Vault Pumped: Yes	Inlet Baffle Present: Yes	Outlet Baffle Present: Yes	Functioning as Designed: Yes

Tank Comments:

General Primary Treatment Comments:

Distribution Type

Distribution Box for Tank A

Label: Distribution Box for Tank A	Material Type: Plastic	Accessible: Yes
Box Opened: Yes	Baffle Present: Yes	Speed Levelers Present: No
Watertight: Yes	Functioning As Designed: Yes	

Distribution Box for Tank B

Label: Distribution Box for Tank B	Material Type: Plastic	Accessible: Yes
Box Opened: Yes	Baffle Present: Yes	Speed Levelers Present: No
Watertight: Yes	Functioning As Designed: Yes	

General Distribution System Comments :

Secondary Treatment

Absorption Bed for Tank A

Distribution Type: Distribution Box	Material Type: Rock and PVC Pipe	Absorption Bed Width: 18
Absorption Bed Length: 60	Total Absorption Area: 1080	System Hydraulic Loaded: Yes
Gallons Loaded: 500	Meets Setback to Well: Yes	Well Type: Private
Distance To Well (Ft.): 150	Absorption Bed Probed: Yes	Saturation or Ponding Present: No
Grass Cover Present: Yes	System Located on Owner Property: Yes	Easement Present: N/A
Functioning as Designed: Yes		

Comments:

Lateral Field for Tank B

Distribution Type: **Distribution Box**

Material Type: **Rock and PVC Pipe**

Trench Width: **24**

Lines: **2**

Total Length of Absorption Line: **170**

System Hydraulic Loaded: **Yes**

Gallons Loaded: **300**

Meets Setback to Well: **Yes**

Well Type: **Private**

Distance To Well (Ft.): **150+**

Lateral Lines Probed: **Yes**

Saturation or Ponding Present: **No**

Grass Cover Present: **Yes**

Lateral Lines Equal Length: **Yes**

System Located on Owner Property: **Yes**

Easement Present: **N/A**

Functioning as Designed: **Yes**

Comments:

General Secondary Treatment Comments:

Narrative Report

TOT Inspection Report Overall Narrative Comments: **There are two tanks on this property, referenced as Tank A and Tank B. Systems are designed for weekend cabin usage. Both systems are in good working condition. Pump tanks every year depending on usage. Do not drive over septic system(s).**

For results of the TOT, please contact Delaware County (alinderwell@co.delaware.ia.us) or Corey Frank with Iowa DNR (cory.frank@dnr.iowa.gov).



TIME OF TRANSFER INSPECTION TOT# 9882 ROBB HARTER CERT # 9343

Owner Name: ARK Properties, LLC


Address: 20105 247th Street , Manchester , IA 52057

County: Delaware

Inspection Date: 05/01/2024

Submitted Date: 5/2/2024

As-built Diagrams




LIFE END CABIN RESORT

1' = 40'
 911 ADDRESS
 2010S 247th ST
 MANLYSTON, IDAHO


Septic tank 43° 20.218' N
 097° 29.051' W


Leach field 42° 26.017' N
 097° 29.041' W





1500 gallon tank 2
compartment







will is over 150Ft to
tank

