

Recorded: 8/8/2025 at 3:20:07.0 PM
County Recording Fee: \$0.00
Iowa E-Filing Fee: \$0.00
Combined Fee: \$0.00
Revenue Tax: \$0.00
Delaware County, Iowa
Daneen Schindler RECORDER
BK: 2025 PG: 2099

REAL ESTATE TRANSFER - GROUNDWATER HAZARD STATEMENT
TO BE COMPLETED IN FULL BY TRANSFEROR

If the transaction is exempt from filing a declaration of value pursuant to Iowa Code 428A.1(2), **STOP HERE**. Pursuant to Iowa Code section 558.69(1), when no declaration of value is submitted during a transaction, you are not required to submit a groundwater hazard statement or include the statutory language in Iowa Code section 558.69(8A). Please consult your realtor or legal counsel for further advice, including on whether a declaration of value is required. The Department provides this information for statutory reference only.

Instructions for this document can be found at: <https://www.iowadnr.gov/media/5465>.

Attachment 1, if required, can be found at: <https://www.iowadnr.gov/media/5466>.

TRANSFEROR:

Name Matthew R. Menard and Rachel M. Menard

Address 1902 15th Ave. SE Apt 9 Dyersville IA 52057
Number and Street or RR City, Town or PO State Zip

TRANSFeree:

Name Nicholas Sweetland and Krystin Sweetland

Address 1561 180th Avenue, Manchester, Iowa 52057
Number and Street or RR City, Town or PO State Zip

Address of Property Transferred:

1561 180th Avenue, Manchester, Iowa 52057

Number and Street or RR City, Town or PO State Zip

Legal Description of Property: (Attach if necessary)

Parcel B, Part of the NE ¼ - SE ¼ Sec. 32, T90N, R5W of the Fifth P.M., Delaware County, Iowa, according to Plat recorded in Book 2001, Page 4173.

1. Wells (check one)

- ☐ No Condition - There are no known wells situated on this property.
☒ Condition Present - There is a well or wells situated on this property. The type(s), location(s) and legal status are stated below or set forth on an attached separate sheet, as necessary. *Drilled - east side of house in driveway in front of garage & geothermal wells.*

2. Solid Waste Disposal (check one)

- ☒ No Condition - There is no known solid waste disposal site on this property.
☐ Condition Present - There is a solid waste disposal site on this property and information related thereto is provided in Attachment #1, attached to this document.

3. Hazardous Wastes (check one)

- ☒ No Condition - There is no known hazardous waste on this property.
- ☐ Condition Present - There is hazardous waste on this property and information related thereto is provided in Attachment #1, attached to this document.

4. Underground Storage Tanks (check one)

- ☒ No Condition - There are no known underground storage tanks on this property. (Note exclusions such as small farm and residential motor fuel tanks, most heating oil tanks, cisterns and septic tanks, in instructions.)
- ☐ Condition Present - There is an underground storage tank on this property. The type(s), size(s) and any known substance(s) contained are listed below or on an attached separate sheet, as necessary.

5. Private Burial Site (check one)

- ☒ No Condition - There are no known private burial sites on this property.
- ☐ Condition Present - There is a private burial site on this property. The location(s) of the site(s) and known identifying information of the decedent(s) is stated below or on an attached separate sheet, as necessary.

6. Private Sewage Disposal System (check one)

- ☐ No Condition - All buildings on this property are served by a public or semi-public sewage disposal system.
- ☐ No Condition - This transaction does not involve the transfer of any building which has or is required by law to have a sewage disposal system.
- ☒ Condition Present - There is a building served by private sewage disposal system on this property or a building without any lawful sewage disposal system. A certified inspector's report is attached which documents the condition of the private sewage disposal system and whether any modifications are required to conform to standards adopted by the Department of Natural Resources. A certified inspection report must be accompanied by this form when recording.
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. Weather or other temporary physical conditions prevent the certified inspection of the private sewage disposal system from being conducted. The buyer has executed a binding acknowledgment with the county board of health to conduct a certified inspection of the private sewage disposal system at the earliest practicable time and to be responsible for any required modifications to the private sewage disposal system as identified by the certified inspection. A copy of the binding acknowledgment is attached to this form.
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. The system is failing to ensure effective wastewater treatment or is otherwise improperly functioning, and the buyer has executed a binding acknowledgment with the county board of health to install a new private sewage disposal system on this property within an agreed upon time period. A copy of the binding acknowledgment is provided with this form.
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. The building to which the sewage disposal system is connected will be demolished without being occupied. The buyer has executed a binding acknowledgment with the county board of health to demolish the building within an agreed upon time period. A copy of the binding acknowledgment is provided with this form. [Exemption #7]
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. This property is exempt from the private sewage disposal inspection requirements pursuant to the following
Exemption [Note: for exemption #7 use prior check box]: _____
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. The private sewage disposal system has been installed within the past two years pursuant to permit number:

Review the following two directions carefully:

- A. If you selected a box stating "No Condition" for every numbered section above, STOP HERE. Do not submit this form.** Instead, pursuant to Iowa Code section 558.69(8A), you must include the following language on the first page of the recorded deed, instrument, or other writing:

"There is no known private burial site, well, solid waste disposal site, underground storage tank, hazardous waste, or private sewage disposal system on the property as described in Iowa Code section 558.69, and therefore the transaction is exempt from the requirement to submit a groundwater hazard statement."

Please consult your realtor or legal counsel for further advice on this exemption. By law, the owner of the property is responsible for the accuracy of this statement, and the Department provides this information for statutory reference only.

- B. If you checked any box stating "Condition Present" for any of the numbered sections above, continue below.** You must complete this form, including providing all required information, and you must submit this form to the county recorder's office with declaration of value.

Information required by statements checked above should be provided here or on separate sheets attached hereto:

I HEREBY DECLARE THAT I HAVE REVIEWED THE INSTRUCTIONS FOR THIS FORM AND THAT THE INFORMATION STATED ABOVE IS TRUE AND CORRECT.

Signature: _____

(Transferor or Agent)

Telephone No.: _____

319-360-8257



IOWA DEPARTMENT OF NATURAL RESOURCES

GOVERNOR KIM REYNOLDS
LT. GOVERNOR CHRIS COURNOYER

DIRECTOR KAYLA LYON

TIME OF TRANSFER INSPECTION TOT# 16651 LUKE OGDEN CERT # 6715

Site Information

Parcel Description: **060320001500**

Address: **1561 180th Ave, Manchester, IA 52057**

County: **Delaware**

Owner Information

Property is owned by a business: **No**

Business Name:

Owner Name: **Matthew Menard**

Email Address:

Address: **1561 180th Ave, Manchester, IA 52057**

Phone No: **319-360-8257**

Site related information

No Of Bedrooms: **4**

Facility Type: **Residential**

Last Occupied:

Permit issued by County: **Yes**

All plumbing fixtures enter septic system: **Yes**

Property Information Comments:

Inspection Date: **07/15/2025**

Currently Occupied: **Yes**

System Installation Date: **08/08/2011**

Permit Number: **1984**

County contacted for records: **Yes**

Primary Treatment

Tank 1

Tank Name: **Tank 1**

Tank Material: **Concrete**

No. of Compartments: **2**

Date Pumped: **8/10/2024**

Distance To Well (Ft.): **>100'**

Risers Intact: **Yes**

Type: **Septic Tank**

Tank Corrosion Type: **Moderate**

Pump Tank Chamber: **No**

Meets Setback to Well: **Yes**

Is Accessible: **Yes**

Effluent Filter Present: **Yes**

Tank Size (Gal): **1250**

Liquid Level Type: **Normal**

Licensed Pumper Name: **kuehl const.**

Well Type: **Private**

Lid Intact: **Yes**

Watertight: **Yes**

Tank/Vault Pumped: **Yes** Inlet Baffle Present: **Yes** Outlet Baffle Present: **Yes** Functioning as Designed: **Yes**

Tank Comments:

General Primary Treatment Comments:

home has a water softener and also a sewage lift pump that both run to the septic tank. septic tank was pumped august of 2024.

Distribution Type

Distribution Box 1

Label: Distribution Box 1	Material Type: Plastic and Concrete	Accessible: Yes
Box Opened: Yes	Baffle Present: No	Speed Levelers Present: Yes
Watertight: Yes	Functioning As Designed: Yes	

General Distribution System Comments :

Secondary Treatment

Lateral Field1

Distribution Type: Distribution Box	Material Type: Leaching Chamber	Trench Width: 36
Lines: 3	Total Length of Absorption Line: 210	System Hydraulic Loaded: Yes
Gallons Loaded: 200	Meets Setback to Well: Yes	Well Type: Private
Distance To Well (Ft): >100'	Lateral Lines Probed: Yes	Saturation or Ponding Present: No
Grass Cover Present: Yes	Lateral Lines Equal Length: Yes	System Located on Owner Property: Yes
Easement Present: N/A	Functioning as Designed: Yes	
Comments:		

General Secondary Treatment Comments: **3 lines at 70' of 36" infiltrator chamber.**

Narrative Report

TOT Inspection Report Overall Narrative Comments: **Based on what we were able to observe and our experience with on-site wastewater technology, we submit this sanitary sewage disposal system inspection report based on the present condition of the on-site sewage disposal system. Oasis Well & Pump, LLC has not been retained to warrant, guarantee, or certify the proper functioning of the system for any period of time in the future. Because of numerous factors (usage, soil characteristics, previous failures, etc.) which effect the proper operation of a septic system as well as the inability of our Company to supervise or monitor the use or maintenance of the system, this report shall not be constructed as a warranty by our Company that the system will function properly for any particular buyer. Oasis Well & Pump, LLC DISCLAIMS ANY WARRANTY, either expressed or implied, arising from the inspection of the septic system or this report. We are also not ascertaining the impact the system is having on the ground water.**

I have studied the information contained herein and that my assessment is honest, thorough, and, to the best of my ability correct.

Certified by Luke Ogden #6715

TIME OF TRANSFER INSPECTION TOT# 16651 LUKE OGDEN CERT # 6715

Owner Name: **Matthew Menard**

Address: **1561 180th Ave , Manchester , IA 52057**

County: **Delaware**

Inspection Date: **07/15/2025**

Submitted Date: **7/24/2025**

This page certifies a Time of Transfer inspection was conducted and submitted for the property listed above in accordance with Subrule 567 IAC 69.2(8).



1332 N. Franklin, Manchester, Iowa 52057.
563-927-6503 888-666-6503
www.oasiswell.com

OWNER: Randy & Katy Wendling

DATE: 4/8/14

SITE ADDRESS: 1561 180th Ave

TOWN/COUNTY: Manchester / Delaware


GPS: Long: 42.86316

Lat: -91.45085




TANK SIZE: 1250 (Gals) Plastic OR Concrete

D-BOX: 1 or 9 OUTLETS USED: 3

SECONDARY TREATMENT: 3-70' lines wide chamber Permit # 1984



NOTES: Septic was installed while old house was still on site



060320001500

DELAWARE COUNTY
BOARD OF SUPERVISORS

(Print or Type)

Permit No.

1984

APPLICATION FOR PERMIT TO INSTALL PRIVATE SEWAGE DISPOSAL SYSTEM

ADDRESS:

1561 180th Ave

Section 32

Township H.S.

LOCATION:

New R sec 32

T-90-N

R-5-W

Owner:

J. Miller

Plumber:

K. H. I.

Lot Size:

2.001

Type Commercial:

Residential: (No. Bedrooms) 2

Fixtures:

2 Sinks, 2 Showers, 3 Automatic Laundry, Sump Pump

Sewer Tank made by:

Swilly Garbage Grinder

Construction Material Concrete

Gallons Cap. 1250

Percolation Test:

1. 2. 3. 4.

Made by:

Absorption Field:

Total length of laterals 210

No. of lateral lines 3

This system is new:

X Existing

3-wide chambers

I certify that the above information is correct and that all proposed work will be completed in accordance with the Delaware County Regulations.

Date Approved:

8-8-11

By:

Dennis Lyons

APPLICANT'S SIGNATURE

SEAL

KUEHL'S SEPTIC SERVICE
 39342 Hilton Rd. • Edgewood, IA 52042
 (563) 928-6418
 Cell: (563) 920-2077

SOLD BY		DATE <u>8/10/24</u>	
NAME <u>Matt Mansud</u>			
ADDRESS <u>1561 180th Ave.</u>		PHONE	
CITY <u>Manchester, Ia 52057</u>			
<input type="checkbox"/> CASH <input type="checkbox"/> CHANGE <input type="checkbox"/> PAID ON ACCOUNT			
QTY	DESCRIPTION	PRICE	AMOUNT
1			
<u>1250</u>	<u>septic tank pumping</u>		<u>300.00</u>
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
RECEIVED BY		TOTAL	<u>300.00</u>

THANK YOU