

BK: 2026 PG: 2271
Recorded: 7/31/2026 at 1:41:15.0 PM
Pages 9
County Recording Fee:
Iowa E-Filing Fee: \$0.00
Combined Fee:
Revenue Tax: \$0.00
BRANDY L. MACUMBER, RECORDER
Madison County, Iowa

REAL ESTATE TRANSFER - GROUNDWATER HAZARD STATEMENT
TO BE COMPLETED BY TRANSFEROR

If the transaction is exempt from filing a declaration of value pursuant to Iowa Code 428A.1(2), STOP HERE. Pursuant to Iowa Code section 558.69(1), when no declaration of value is submitted during a transaction, you are not required to submit a groundwater hazard statement or include the statutory language in Iowa Code section 558.69(8A). Please consult your realtor or legal counsel for further advice, including on whether a declaration of value is required. The Department provides this information for statutory reference only.

Instructions for this document can be found at:
<https://www.iowadnr.gov/Portals/idnr/uploads/forms/5420960%20Instructions.pdf>

Attachment 1, if required, can be found at: <https://www.iowadnr.gov/Portals/idnr/uploads/forms/5420960a.pdf>

TRANSFEROR:

Name Samuel App Marshall

Address <u>1795 Millstream Ct</u>	<u>Winterset</u>	<u>IA</u>	<u>50273</u>
Number and Street or RR	City, Town or P.O.	State	Zip

TRANSFeree:

Name Dana A. Jones

Address <u>3516 Iola Ave</u>	<u>Des Moines</u>	<u>IA</u>	<u>50312</u>
Number and Street or RR	City, Town or P.O.	State	Zip

Address of Property Transferred:

<u>1795 Millstream Ct</u>	<u>Winterset</u>	<u>IA</u>	<u>50273</u>
Number and Street or RR	City, Town or P.O.	State	Zip

Legal Description of Property: (Attach if necessary)

Lot Twenty-eight (28) of Covered Bridge Estates, located in the Fractional Southwest Quarter (1/4) of the Southwest Quarter (1/4) of Section Seven (7), Township Seventy-six (76) North, Range Twenty-seven (27) West of the 5th P.M., Madison County, Iowa.

1. Wells (check one)

- ☒ No Condition - There are no known wells situated on this property.
- ☐ Condition Present - There is a well or wells situated on this property. The type(s), location(s) and legal status are stated below or set forth on an attached separate sheet, as necessary.

2. Solid Waste Disposal (check one)

- ☒ No Condition - There is no known solid waste disposal site on this property.
- ☐ Condition Present - There is a solid waste disposal site on this property and information related thereto is provided in Attachment #1, attached to this document.

3. Hazardous Wastes (check one)

- ☒ No condition - There is no known hazardous waste on this property.
- ☐ Condition Present - There is hazardous waste on this property and information related thereto is provided in Attachment #1, attached to this document.

4. Underground Storage Tanks (check one)

- ☒ No condition - There are no known underground storage tanks on this property. (Note exclusions such as small farm and residential motor fuel tanks, most heating oil tanks, cisterns and septic tanks, in instructions.)
- ☐ Condition Present - There is an underground storage tank on this property. The type(s), size(s) and any known substance(s) contained are listed below or on an attached separate sheet, as necessary.

5. Private Burial Site (check one)

- ☒ No condition - There are no known private burial sites on this property.
- ☐ Condition Present - There is a private burial site on this property. The location(s) of the site(s) and known identifying information of the decedent(s) is stated below or on an attached separate sheet, as necessary.

6. Private Sewage Disposal System (check one)

- ☐ No condition - All buildings on this property are served by a public or semi-public sewage disposal system.
- ☐ No condition - This transaction does not involve the transfer of any building which has or is required by law to have a sewage disposal system.
- ☒ Condition Present - There is a building served by private sewage disposal system on this property or a building without any lawful sewage disposal system. A certified inspector's report is attached which documents the condition of the private sewage disposal system and whether any modifications are required to conform to standards adopted by the Department of Natural Resources. A certified inspection report must be accompanied by this form when recording.
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. Weather or other temporary physical conditions prevent the certified inspection of the private sewage disposal system from being conducted. The buyer has executed a binding acknowledgment with the county board of health to conduct a certified inspection of the private sewage disposal system at the earliest practicable time and to be responsible for any required modifications to the private sewage disposal system as identified by the certified inspection. A copy of the binding acknowledgment is attached to this form.
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. The system is failing to ensure effective wastewater treatment or is otherwise improperly functioning, and the buyer has executed a binding acknowledgment with the county board of health to install a new private sewage disposal system on this property within an agreed upon time period. A copy of the binding acknowledgment is provided with this form.
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. The buyer has executed a binding acknowledgment with the county board of health to install a new private sewage disposal system on this property within an agreed upon time period. A copy of the binding acknowledgment is provided with this form. [Exemption #7]
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. This property is exempt from the private sewage disposal inspection requirements pursuant to the following Exemption [Note: for exemption #7 use prior check box]: _____
- ☐ Condition Present - There is a building served by private sewage disposal system on this property. The private sewage disposal system has been installed within the past two years pursuant to permit number: _____

Review the following two directions carefully:

A. If you selected a box stating "No Condition" for every numbered section above, STOP HERE. Do not submit this form. Instead, pursuant to Iowa Code section 558.69(8A), you must include the following language on the first page of the recorded deed, instrument, or other writing:

"There is no known private burial site, well, solid waste disposal site, underground storage tank, hazardous waste, or private sewage disposal system on the property as described in Iowa Code section 558.69, and therefore the transaction is exempt from the requirement to submit a groundwater hazard statement."

Please consult your realtor or legal counsel for further advice on this exemption. By law, the owner of the property is responsible for the accuracy of this statement, and the Department provides this information for statutory reference only.

B. If you checked any box stating "Condition Present" for any of the numbered sections above, continue below. You must complete this form, including providing all required information, and you must submit this form to the county recorder's office with declaration of value.

Information required by statements checked above should be provided here or on separate sheets attached hereto:

I HEREBY DECLARE THAT I HAVE REVIEWED THE INSTRUCTIONS FOR THIS FORM AND THAT THE INFORMATION STATED ABOVE IS TRUE AND CORRECT.

Signature: _____

(Transferor or Agent)

Telephone No.: _____

515 707 8900

655-26

7-Union



IOWA DEPARTMENT OF NATURAL RESOURCES

GOVERNOR KIM REYNOLDS
LT. GOVERNOR CHRIS COURNOYER

DIRECTOR KAYLA LYON

TIME OF TRANSFER INSPECTION TOT# 22425 DREW HODGES CERT # 14481

Site Information

Parcel Description: **400070700280000**

Address: **1795 Millstream Ct., Winterset, IA 50273**

County: **Madison**

Owner Information

Property is owned by a business: **No**

Business Name:

Owner Name: **Samuel Marshall**

Email Address: **smarshall@us-erectors.com**

Address: **1795 Millstream Ct., Winterset, IA 50273**

Phone No: **515-494-7542**

Additional Contact Information

Name

Email Address

Affiliate Type

Jenny Wille

jgwille@iowarealty.com

Realtor

Site related information

No Of Bedrooms: **5**

Inspection Date: **07/14/2026**

Facility Type: **Residential**

Currently Occupied: **Yes**

Last Occupied:

System Installation Date: **07/30/2018**

Permit issued by County: **Yes**

Permit Number: **067-18**

All plumbing fixtures enter septic system: **Yes**

County contacted for records: **Yes**

Property Information Comments:

Primary Treatment

Tank 1

Tank Name: **Tank 1**

Type: **Septic Tank**

Tank Size (Gal): **1500**

Tank Material: **Plastic**

Tank Corrosion Type: **Slight**

Liquid Level Type: **Normal**

No. of Compartments: **2**

Pump Tank Chamber: **No**

Licensed Pumper Name: **Rogers septic**

Date Pumped: 7/14/2026	Meets Setback to Well: N/A	Well Type:
Distance To Well (Ft.):	Is Accessible: Yes	Lid Intact: Yes
Risers Intact: Yes	Effluent Filter Present: Yes	Watertight: Yes
Tank/Vault Pumped: Yes	Inlet Baffle Present: Yes	Outlet Baffle Present: Yes
		Functioning as Designed: Yes
Tank Comments:		

Tank 2

Tank Name: Tank 2	Type: Pump Tank	Tank Size (Gal): 500
Tank Material: Plastic	Tank Corrosion Type: Slight	Liquid Level Type: Normal
No. of Compartments: 1	Pump Tank Chamber: No	Licensed Pumper Name: Rogers septic
Date Pumped: 7/14/2026	Meets Setback to Well: N/A	Well Type:
Distance To Well (Ft.):	Is Accessible: Yes	Lid Intact: Yes
Risers Intact: Yes	Effluent Filter Present:	Watertight: Yes
Tank/Vault Pumped: Yes	Inlet Baffle Present: Yes	Outlet Baffle Present: No
		Functioning as Designed: Yes
Tank Comments:		

General Primary Treatment Comments:

Distribution Type

Pump System 1

Label: Pump System 1	Accessible: Yes	Control Box Functioning: Yes
Alarm(s) Present and Functioning: Yes	Functioning As Designed: Yes	

General Distribution System Comments :

Secondary Treatment

Sand Filter1

Filter Type: Subsurface	Distribution Type: Pump System	Material Type: Rock and PVC Pipe
Absorption Area: 744	System Hydraulic Loaded: Yes	Gallons Loaded: 200
Discharge At Time of Inspection: Yes	CBOD5 Results: 8	TSS Results: 4
Disinfection Present: No	Disinfection Type:	Tertiary Treatment Present: No
Tertiary Treatment Type:	Meets Setback to Well: N/A	Well Type:
Distance To Well (Ft.):	Sand Filter Probed: Yes	Vent(s) Located: Yes
Saturation or Ponding Present: No	Grass Cover Over System: Yes	Outlet Found: Yes
Sample Taken: Yes	GP4 Permitted:	GP4 Required:
System Located on Owner Property: Yes	Easement Present: N/A	Functioning as Designed: Yes

Comments:

General Secondary Treatment Comments:

Narrative Report

TOT Inspection Report Overall Narrative Comments: **All wastewater goes to septic. 1500 gallon watertight plastic septic tank With slight distortion. Accessible by lids and risers to ground surface. Two compartment tank. Inlet and outlet baffles. Effluent filter present. 500 gallon watertight plastic pump tank with light distortion. Accessible by lids and risers. Inlet baffle present. Pump present. Pump float present. Alarm float present. Alarm box present. Located at pump station. Tested alarm both audible and visual alarm functioning. Hydraulic load tested (via house and pump station) 200 gallons to 12ft W by 62 ft L equaling 744 sq ft sand-filter. Sand-filter took all water and probed dry/clean. Collected sample before hydraulic load test. COLLECTED SAMPLE.**



IOWA DEPARTMENT OF NATURAL RESOURCES

GOVERNOR KIM REYNOLDS
LT. GOVERNOR CHRIS COURNOYER

DIRECTOR KAYLA LYON

TIME OF TRANSFER INSPECTION TOT# 22425 DREW HODGES CERT # 14481

Owner Name: **Samuel Marshall**

Address: **1795 Millstream Ct. , Winterset , IA 50273**

County: **Madison**

Inspection Date: **07/14/2026**


Submitted Date: **7/23/2026**

This page certifies a Time of Transfer inspection was conducted and submitted for the property listed above in accordance with Subrule 567 IAC 69.2(8).

Driveway

11-28-18
1795 M/11 Stream
067-18

Clear out
Inside





Microbac Laboratories, Inc., Newton

CERTIFICATE OF ANALYSIS

1JG1567

Rogers Septic Maintenance and Repair

Project Name: Septic Sampling

Amanda Kouski
6288 NE 14th St.
Des Moines, IA 50313

Project / PO Number: N/A
Received: 07/15/2026
Reported: 07/23/2026

Analytical Testing Parameters

Client Sample ID:	Samuel Marshall 1795 Millstream					Collected By:	Rogers Septic		
Sample Matrix:	Aqueous					Collection Date:	07/14/2026 11:00		
Lab Sample ID:	1JG1567-01								
Inorganics Total	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst	
Method: SM 5210 B-2016									
Carbonaceous BOD (CBOD5)	<8		8	mg/L		07/15/26 1324	07/20/26 0939	MND	
Method: USGS I-3765-85									
Total Suspended Solids (TSS)	<4		4	mg/L		07/15/26 1522	07/16/26 0838	LAW	

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

RL: Reporting Limit

Report Comments

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included. **The services were provided under and subject to Microbac's standard terms and conditions which can be located and reviewed at <https://www.microbac.com/standard-terms-conditions>.**

Reviewed and Approved By:

Heather Murphy
Customer Relationship Specialist
heather.murphy@microbac.com
07/23/26 09:46